

D6561

DAP CS-360

DAP

*Passive 8x 3" column speaker -
white*

EAN: 8717748285874



The DAP CS-360 is a 60-watt column speaker with eight 3-inch drivers mounted one above the other. It is suitable for a 100 V audio infrastructure and an ideal loudspeaker for rooms with limited space for a large audio system. For its compact size, it has a high maximum volume level and the sound is well distributed in the room, which ensures an even and most comfortable volume level. Due to its frequency range of 130 Hz-17 kHz, this column loudspeaker can also be used as speech amplification in a conference room or in a church.

The CS-360 is IP 44 classified, which means that it is splash-proof. This allows you to hang this speaker on a terrace, for example.

Special features:

- 60 W peak power - 100 V
- Two power taps (20 and 40 W)
- Protection against splash water from any direction (IP44)
- Aluminium design
- Bracket and screws included

Specifications:

Inputs

Peak Input Power	60 W
Transformer	100 V
Line Transformer Taps	20 / 40 W
Passive Input Connection	Open End

Audio Specifications

Speaker System	Column
Speaker Sensitivity (1 W/1 m)	92 dB
Maximum SPL at 1 m	106 dB
Frequency Response Minimum	130 Hz
Frequency Response Maximum	17000 Hz
Woofer Diameter	3"
Woofer Magnet Type	Ferrite

Product Properties

Speaker Grille Material	Aluminium
-------------------------	-----------

Mechanical Specifications

Height (mm)	75 mm
Width (mm)	106 mm
Length (mm)	691 mm
Weight	3.4 kg
IP Rating	IP44
Housing	Aluminium
Colour	White

Included Items

Included Accessories	Bracket / Screws
----------------------	------------------

Downloads:

Manual

[D6561_MANUAL_GB_V1.pdf](#)