

Rolling Racks

SKB rSeries – 4U Space Roto Molded Rack with Wheels

Article number: 1SKB-R4UW



Available in 4U, 6U, and 8U sizes, SKB Shallow Rolling Racks are roto-molded of Polyethylene (LLDPE) for extra strength and durability. These racks incorporate our one-touch pull handle and side-mounted wheels to improve ease of transport and help eliminate heavy lifting and carrying.



Dimensions in mm (Exterior)

Width	572
Length	673
Height	292

Specifications

Weight	10.4 kg
Built in pull handle/wheels	YES
Color	Black
Exterior	Hard
Rack Units	4
Top Space Units	0
Bottom Space Units	0
Front Rail to Back Lid (mm)	514
Rail to Rail (mm)	444
Rear Rail to Front Lid (mm)	501
Length outside (mm)	673
Width outside (mm)	572
Height outside (mm)	292
Carton Length (mm)	685
Carton Width (mm)	596
Carton Height (mm)	304
Shipping Weight (kg)	11,5

Description

Available in 4U, 6U, and 8U sizes, SKB Shallow Rolling Racks are roto-molded of Polyethylene (LLDPE) for extra strength and durability. These racks incorporate our one-touch pull handle and side-mounted wheels to improve ease of transport and help eliminate heavy lifting and carrying. The exteriors feature SKB's recognizable bar design that signifies the rack unit size on the front and rear lids. Molded bars on top and bottom also provide interlocking capabilities, allowing you to easily and securely stack them with SKB's Shallow Racks, Standard Roto Racks, and Standard Roto Rolling Racks, making transport even more convenient and secure. Lids include rubber gasket seals to keep water out. Other standard features include front and rear steel threaded rails and



rack screws (10-32 thread), recessed steel Mil-Spec twist latches, flush carry handles, and non-slip rubber feet. All Shallow Roto Rolling Racks are 30 cm deep from front rail to rear rail.

