



## WAVE-10A

Order No.: 0259009

**Price upon request**

### PRODUCTINFOS

#### **Pure Entertainment!**

The PA speaker systems of the WAVE series impress with a great sound and an attractive price. They are suitable for smaller to medium-sized function rooms and are the perfect starting equipment for entry-level DJs. The plastic cabinets of contemporary design are also lightweight and easy to use. Thus, they are ideally suited for mobile applications.

#### **Active full range speaker system, 300 W**

- Compact 10/2 full range bass-reflex system with plastic cabinet
- 25 cm (10") bass speaker and 25 mm (1") horn tweeter
- Integrated MP3 player with USB/SD slot
- Bluetooth receiver
- Infrared remote control
- Balanced mic input via XLR jack or 6.3 mm jack
- Line input via RCA jack or XLR jack
- 2-way tone control for treble and bass
- Mix out via XLR or 6.3 mm jack
- M8 threaded inserts for mounting support
- Stand sleeve

## TECHNICAL SPECIFICATIONS

### WAVE-10A

Active/passive	active
Transmission method	wireless/cable
Total output power	300 W
Power rating (RMS)	150 W
Frequency range	60-20,000 Hz
Input signal	250 mV/7 k $\Omega$ (line, XLR, bal.), 150 mV/16 k $\Omega$ (line, RCA), 9.5 mV/0.8 k $\Omega$ (mic, XLR, bal.), 9.5 mV/0.8 k $\Omega$ (mic, 6.3 mm jack)
System	10/2 full range bass-reflex
Bass speaker	25 cm (10") bass speaker
Tweeter	25 mm (1") horn tweeter
Number of speakers	2
Speaker size	25 cm (10")
Sensitivity	95 dB/W/m
Max. rated SPL	119 dB
Beam angle	H: 90°/V: 60°
Radiation angle, horizontal	90°
Radiation angle, vertical	60°
Housing material	plastic
Colour	black
Mounting device	M8 threaded inserts, stand sleeve
Admiss. ambient temp.	0-40 °C
Power supply	~ 230 V/50 Hz/270 VA
Dimensions	300 x 510 x 250 mm
Width	300 mm
Height	510 mm
Depth	250 mm
Weight	9.4 kg
Inputs	XLR or RCA L/R (line) XLR or 6.3 mm jack (mic)
Outputs	XLR, bal. (parallel line out)
Packing dimensions (W x H x L)	0.35 x 0.56 x 0.315 m
Gross weight	10.27 kg
Net weight	9.38 kg

