

## SIRIUS HRI 330 W X8

SIRIUS HRI



### Areas of application

- Concert Lighting
- Club & Disco
- Stage & Theatre
- Studio, TV, & Film
- Architecture & Architainment

### Product features and benefits

- Lightweight and compact reflector lamps with optimized ECG
- High luminance through very short arc and high pressure
- Optimized burner design allows any burning position
- Stable light output over the entire lifetime
- Stable light output over the entire lifetime
- Easy lamp replacement
- Easy lamp replacement



# Product datasheet

## Technical data

### General Product Information

Product number (Americas)	54738
Product name (Americas)	SIRIUS HRI 330W X8 2/CS 1/SKU
Family brand	SIRIUS HRI
Category	CUSTOMIZED
Global order reference	SIRIUS HRI 330 W X8


### Electrical Data

Nominal wattage	330 W
Nominal voltage	75 V
Nominal current	4.4 A

### Photometric Data

Nominal luminous flux	18000 lm
Color temperature	8000 K
Color rendering index Ra	85
Working distance	37.4 mm

### Physical Attributes & Dimensions



Electrode gap (cold)	1.0 mm
Lamp base	-
Diameter	58.0 mm
Diameter (in)	0.236 in
Diameter	58.0 mm
Length	66.0 mm
Product weight	100.00 g

## Product datasheet

### Operating Conditions

Burning position	Any
------------------	-----

### Lifetime Data

Nominal lifetime	1500 hr
------------------	---------

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4052899140325   4052899224346   4052899140295
Declaration no. in SCIP database	No declarable substances contained
Candidate list substance 1	No declarable substances contained

## Product datasheet

---

### Safety advice

Because of their high luminance, UV radiation and high internal pressure during operation, SIRIUS HRI lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Appropriate filters must ensure that UV radiation is reduced to an acceptable level. Mercury is released if the lamp breaks. Special safety precautions must be taken. Information on safety and handling is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899140295	SIRIUS HRI 330 W X8	Folding carton box 1	87 mm x 87 mm x 103 mm	0.78 dm <sup>3</sup>	148.00 g
4052899140301	SIRIUS HRI 330 W X8	Shipping carton box 2	186 mm x 96 mm x 115 mm	2.05 dm <sup>3</sup>	342.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.