

# Videohub Smart Control Pro



When you want the fastest routing you can get, then Videohub Smart Control Pro lets you route with a single button press. Program each button for a single router cross point and when pressed the route is made. You can program to have multiple destinations and even a take button! Plus Videohub Smart Control Pro can be configured to be a Videohub or 2110 NMOS controller. Powers via DC or the Ethernet connection!

\$899

## Connections

### Ethernet

RJ45 Ethernet In and Out. Power over ethernet supported on Ethernet In. No power over ethernet on Ethernet Out.

### RS-422


In and Out (for future implementation)

### Computer Interface

USB-C for configuration and software updates.

### Power

100 - 240 AC



---

## Macro Capability

Up to 10 macro buttons can be assigned to activate multiple simultaneous switching commands.

---

## Hardware Control

48 programmable buttons and RJ45 Ethernet used for remote control of routers over an IP network.

---

## IP Video Compliance

### Precision Time Protocol

IEEE 1588-2008 (PTP v2)  
ST 2059-1  
ST 2059-2

### NMOS IS-04 Discovery and Registration

v1.3.2  
Peer-to-peer via mDNS/DNS-SD

### NMOS IS-05 Connection Management

v1.1.2

### NMOS BCP-002-01

Natural Grouping

### NMOS BCP-004-01

Receiver capabilities


---

## Software

Internal Software upgrade via included firmware updater application via USB.

---

## Operating Systems



Mac 13.0 Ventura,  
Mac 14.0 Sonoma or later.



Windows 10, 64-bit.  
Windows 11.

---

## Physical Installation

1 rack unit size. Less than 3 inches deep.

---

---

## Button Configuration

Included free for Windows™ and Mac™ via USB 2.0 high speed (480Mb/s) interface.

---

## Power Requirements

### Power Fail Protection


Button configurations and router communication preserved and restored instantly at power on.  
Button configuration can also be saved for later recall.

### Power Supply

Internal 100 - 240 V AC

---

## Physical Specifications



---

## Environmental Specifications

### Storage Temperature

-20° to 45° C (-4° to 113° F)

### Relative Humidity

0% to 90% non-condensing

---

## What's Included

Videohub Smart Control Pro

---

## Warranty

1 Year Limited Manufacturer's Warranty.

Blackmagic Design Authorized Reseller